

## What is Drive Away?

DRIVE AWAY is a unique solvent-based cleaner which dissolves oil and grease spots from both porous and sealed concrete surfaces.

### Key Benefits

- ✓ Attacks oil and grease and dissolves spots from concrete.
- ✓ Emulsifies with water allowing oil and grease to be simply hosed away.

### How Does It Work?

DRIVE AWAY is a powerful, hydrocarbon-based cleaner which readily attacks and dissolves grease and oil. The detergent ingredients then emulsify the oil and enable it to be washed away with water or steam. DRIVE AWAY actively removes oil and grease from engines, machinery, tools, concrete parking bays, driveways and workshop floors.

### For Use On...

DRIVE AWAY removes oil and grease from engines, machinery, tools, workshop floors, concrete parking bays, footpaths, paved areas and driveways.

## Technical Data

### Composition

DRIVE AWAY is a blend of detergent surfactants and hydrocarbon solvents.

### Properties



COLOUR – Transparent brown liquid

ODOUR – Kerosene-type odour

SOLUBILITY – Self-emulsifies in water

FLAMMABILITY – DRIVE AWAY is

FLAMMABLE. Do not use near ignition sources

such as cigarettes, fires, heaters, stoves, TV's, computers, welders, etc. Open a window for good ventilation.

### Dangerous Goods Classification

DRIVE AWAY is Class 3 flammable liquid.

U.N. No: 1993	CLASS: 3
PACK GRP: III	HAZCHEM: 3[Y]

### Environmental Care

DRIVE AWAY conforms with all statutory environmental requirements. It is based on safe ingredients selected to perform efficiently so there is no waste or damage. DRIVE AWAY is phosphate-free. DRIVE AWAY containers will be cleaned and reused if returned to Agar Cleaning Systems Pty Ltd., significantly reducing plastic usage and waste. They can also be recycled.

### Quality

The design, manufacture and supply of all Agar chemical products is controlled by the Agar Quality Management System which is registered and externally audited by SAI Global as complying with the requirements of AS/NZS ISO 9001 "Quality Management Systems – Requirements".

First Certified: 30 April 1996 SAI Certificate No.: QEC7358

## Application

### Floors:

- Dilute DRIVE AWAY to 1 in 4 (for each 1L of DRIVE AWAY add 3L of cold water).
- If the floor is porous, like unsealed concrete, wet the area around the stains with clean water. This will prevent the oil and degreaser from spreading or soaking further into the floor.
- Pour the DRIVE AWAY solution onto the oil stains and leave in place for at least 7 minutes. Brushing is not essential but will speed up process.
- Rinse off or scrub with water and vacuum or mop up the solution for disposal to the sewer.

### Machinery:

- Car parts may be soaked in DRIVE AWAY (neat or diluted up to 1 in 10) and hosed down with hot water for complete removal of dirty oily films and grease.

### Caution

DRIVE AWAY is flammable. Avoid sources of ignition. Avoid skin contact and avoid inhaling vapours.

## Disposal Information

### I. Used solutions -

Used Solutions of DRIVE AWAY should be poured into a drain or trough that leads to the sewer system or a septic tank. These systems have a method for treating and breaking down the waste. Used solutions of detergent should not be poured into stormwater drains or down driveways as these drains are designed for rainwater and ultimately lead to the local river system.

### 2. Unused product

It is best to keep the product and use it up! If this is not possible, try to give it to someone who can use it. (Make sure the product is in its original, labelled container).

If there is no alternative but disposal, it is safe to pour small quantities of this product down the drain (to sewer) with running water. Leave the cold tap running for a few moments afterwards as this dilutes the product and reduces the concentration in the wastewater.

Remember, do not mix different cleaning products together during disposal!

### 3. Empty packaging

#### Bottles and drums

Our 5L and 20L bottles and drums are made from HDPE (polyethylene) or PET which can be recycled. You can dispose of these containers via the kerbside collection program or other recycling system. DRIVE AWAY containers will be cleaned and reused if returned to Agar Cleaning Systems Pty Ltd, significantly reducing plastic usage and waste.

#### Cardboard cartons

Used boxes should be flattened and recycled in OCC (old, corrugated cardboard) or mixed wastepaper recycling programs.

Available in: 5L, 20L

Agar Cleaning Systems maintains Safety Data Sheets (SDS) on all its products. These sheets contain information that you may need to protect your employees and customers against health or safety hazards associated with our product. Agar Cleaning Systems recommends that you obtain a copy of the respective SDS sheet prior to using this product. The information in the Product Data Sheet is based on data we believe to be reliable. It is offered in good faith, but without guarantee, as conditions and methods of use of our product are beyond our control.



**MELBOURNE**  
Agar Cleaning Systems P/L  
12-14 Cope Street  
Preston VIC 3072  
Ph: (03) 9480 3000

**ADELAIDE**  
Agar Cleaning Systems P/L  
Unit 1, 138-140 Ashley Street  
Underdale SA 5032  
Ph: (08) 8293 2020

**BRISBANE**  
Agar Cleaning Systems P/L  
Unit 5, 13 Murdoch Circuit  
Acacia Ridge QLD 4110  
Ph: (07) 3274 3438

**SYDNEY**  
Agar Cleaning Systems P/L  
Unit 3, 68-72 Asquith Street  
Silverwater NSW 2128  
Ph: (02) 9743 6020

**PERTH**  
Briskleen Supplies  
38 Mulgool Road  
Malaga WA 6090  
Ph: (08) 9249 4566