



TASKI GLANCE NA J-FILL

Revision: 2023-10-01

Version: 01.1

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: TASKI GLANCE NA J-FILL

1.2 Recommended use and restrictions on use

Identified uses:

Glass and multi-purpose cleaner

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited

Unit 8, 55 Newton Road, Wetherill Park, NSW, 2164

1-7 Bell Grove, Braeside, VIC 3195

Telephone: 1800 647 779 (toll free)

Email: aucustserv@diversev.com

Website: diversey.com.au

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye irritation, Category 2

2.2 Label elements



Signal word: Warning

Hazard statements:

H319 - Causes serious eye irritation.

Prevention statement(s):

P264 - Wash face, hands and any exposed skin thoroughly after handling.

Response statement(s):

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice or attention.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (% w/w): 2.44

Not classified as hazardous

TASKI GLANCE NA J-FILL

SECTION 3: Composition/information on ingredients**3.1 Substances / Mixtures**

| Ingredient(s) | CAS# | EC number | Weight percent |
|---------------------------|------------|-----------|----------------|
| alkyl alcohol ethoxylate | 68439-46-3 | [4] | 1-3 |
| sodium alkylethersulphate | 9004-82-4 | [4] | 1-3 |

[4] Polymer.

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures**4.1 Description of first aid measures**

| | |
|--|--|
| Inhalation: | Get medical attention or advice if you feel unwell. |
| Skin contact: | Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention. |
| Eye contact: | Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention. |
| Ingestion: | Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell. |
| Self-protection of first aider: | Consider personal protective equipment as indicated in subsection 8.2. |
| First aid facilities: | Eyewash facilities should be considered in a workplace where necessary. |

4.2 Most important symptoms and effects, both acute and delayed

| | |
|----------------------|---|
| Inhalation: | No known effects or symptoms in normal use. |
| Skin contact: | No known effects or symptoms in normal use. |
| Eye contact: | Causes severe irritation. |
| Ingestion: | No known effects or symptoms in normal use. |

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

None allocated

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

No special measures required.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

TASKI GLANCE NA J-FILL

7.1 Precautions for safe handling**Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).

Hand protection: No special requirements under normal use conditions.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 2.44

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.

Hand protection: No special requirements under normal use conditions.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****Method / remark**

Physical state: Liquid
Colour: Clear , Blue
Odour: Product specific

TASKI GLANCE NA J-FILL

Odour threshold: Not applicable
pH: ≈ 7 (neat) ISO 4316
Dilution pH: ≈ 7 (1%) ISO 4316
Melting point/freezing point (°C): Not determined Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined

Flammability (liquid): Not flammable.
Flash point (°C): > 93.4 °C closed cup
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids
Lower and upper explosion limit/flammability limit (%): Not determined
Vapour pressure: Not determined
Relative vapour density: Not determined Not relevant to classification of this product
Relative density: ≈ 1.00 (20 °C) OECD 109 (EU A.3)
Solubility in / Miscibility with water: Not miscible or difficult to mix
Partition coefficient: n-octanol/water: No information available.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Viscosity: Not determined
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

Result: Eye irritant 2A **Species:** Not applicable. **Method:** Bridging

Substance data, where relevant and available, are listed below:.

Acute toxicity

TASKI GLANCE NA J-FILL

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|---------------------------|------------------|---------------|---------|--------------------|-------------------|
| alkyl alcohol ethoxylate | LD ₅₀ | 1400 | Rat | Weight of evidence | |
| sodium alkylethersulphate | LD ₅₀ | > 2000 | Rat | Weight of evidence | |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) |
|---------------------------|------------------|---------------|---------|--------------------|-------------------|
| alkyl alcohol ethoxylate | LD ₅₀ | 2000 - 5000 | Rat | Weight of evidence | |
| sodium alkylethersulphate | | > 5000 | | Weight of evidence | |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---------------------------|----------|-------------------|---------|--------|-------------------|
| alkyl alcohol ethoxylate | | No data available | | | |
| sodium alkylethersulphate | | No data available | | | |

Irritation and corrosivity

Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---------------------------|--------------|---------|--------------------|---------------|
| alkyl alcohol ethoxylate | Not irritant | | Weight of evidence | |
| sodium alkylethersulphate | Irritant | | Method not given | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---------------------------|---------------|---------|--------------------------------|---------------|
| alkyl alcohol ethoxylate | Severe damage | Rabbit | Weight of evidence OECD 437 | |
| sodium alkylethersulphate | Irritant | | Method not given | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---------------------------|-------------------|---------|--------|---------------|
| alkyl alcohol ethoxylate | No data available | | | |
| sodium alkylethersulphate | No data available | | | |

Sensitisation

Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|---------------------------|-------------------|---------|--------------------|-------------------|
| alkyl alcohol ethoxylate | Not sensitising | | Weight of evidence | |
| sodium alkylethersulphate | No data available | | | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|---------------------------|-------------------|---------|--------|---------------|
| alkyl alcohol ethoxylate | No data available | | | |
| sodium alkylethersulphate | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|---------------------------|---|-------------------|-------------------|------------------|
| alkyl alcohol ethoxylate | No evidence for mutagenicity, negative test results | OECD 473 | No data available | |
| sodium alkylethersulphate | No data available | | No data available | |

Carcinogenicity

| Ingredient(s) | Effect |
|---------------------------|--|
| alkyl alcohol ethoxylate | No evidence for carcinogenicity, negative test results |
| sodium alkylethersulphate | No data available |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|--------------------------|----------|-----------------|--------------------|---------|-----------|---------------|---|
| alkyl alcohol ethoxylate | NOAEL | | > 250 | Rat | Not known | | No effects on fertility No developmental toxicity |
| sodium | | | No data | | | | |

TASKI GLANCE NA J-FILL

| | | | | | | | |
|--------------------|--|--|-----------|--|--|--|--|
| alkylethersulphate | | | available | | | | |
|--------------------|--|--|-----------|--|--|--|--|

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|---------------------------|----------|--------------------|---------|--------------------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate | NOAEL | 80 - 400 | | OECD 408 (EU B.26) | | |
| sodium alkylethersulphate | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|---------------------------|----------|--------------------|---------|--------------------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate | NOAEL | 80 | | OECD 411 (EU B.28) | 90 | |
| sodium alkylethersulphate | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|---------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate | | No data available | | | | |
| sodium alkylethersulphate | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|---------------------------|----------------|----------|--------------------|---------|--------|---------------|--------------------------------------|--------|
| alkyl alcohol ethoxylate | | | No data available | | | | | |
| sodium alkylethersulphate | | | No data available | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|---------------------------|-------------------|
| alkyl alcohol ethoxylate | No data available |
| sodium alkylethersulphate | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|---------------------------|-------------------|
| alkyl alcohol ethoxylate | No data available |
| sodium alkylethersulphate | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---------------------------|------------------|--------------|--------------------------|----------------------------|-------------------|
| alkyl alcohol ethoxylate | LC ₅₀ | 5 - 7 | Fish | 92/69/EEC, C1, semi-static | 96 |
| sodium alkylethersulphate | LC ₅₀ | 2.3 | <i>Brachydanio rerio</i> | Weight of evidence | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---------------|----------|--------------|---------|--------|-------------------|
|---------------|----------|--------------|---------|--------|-------------------|

TASKI GLANCE NA J-FILL

| | | | | | |
|---------------------------|------------------|------|----------------|--------------------|----|
| alkyl alcohol ethoxylate | EC ₅₀ | 5.3 | <i>Daphnia</i> | 92/69/EEC | 48 |
| sodium alkylethersulphate | EC ₅₀ | > 13 | <i>Daphnia</i> | Weight of evidence | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---------------------------|------------------|--------------|--------------------------------|--------------------|-------------------|
| alkyl alcohol ethoxylate | EC ₅₀ | 1.4 - 47 | <i>Not specified</i> | 92/69/EEC | 72 |
| sodium alkylethersulphate | EC ₅₀ | > 56 | <i>Desmodesmus subspicatus</i> | Weight of evidence | 72 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|---------------------------|----------|-------------------|---------|--------|----------------------|
| alkyl alcohol ethoxylate | | No data available | | | |
| sodium alkylethersulphate | | No data available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|---------------------------|------------------|-------------------|-----------------|-------------------------------------|---------------|
| alkyl alcohol ethoxylate | EC ₅₀ | > 140 | <i>Bacteria</i> | DIN EN ISO 8192-OECD 209-88/302/EEC | 3 hour(s) |
| sodium alkylethersulphate | | No data available | | | |

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|---------------------------|------------------|-------------------|----------------------|------------------|---------------|------------------|
| alkyl alcohol ethoxylate | EC ₁₀ | 8.983 | <i>Not specified</i> | Method not given | 21 day(s) | |
| sodium alkylethersulphate | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|---------------------------|------------------|-------------------|--------------------|------------------|---------------|------------------|
| alkyl alcohol ethoxylate | EC ₁₀ | 2.579 | <i>Daphnia sp.</i> | Method not given | 21 day(s) | |
| sodium alkylethersulphate | | No data available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT ₅₀ | Method | Evaluation |
|---------------------------|----------|-------------------|------------------|-----------|-----------------------|
| alkyl alcohol ethoxylate | | | | OECD 301B | Readily biodegradable |
| sodium alkylethersulphate | | COD removal | 97.5% | OECD 301A | Readily biodegradable |

TASKI GLANCE NA J-FILL

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
|--|--|--|--|--|--|

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|---------------------------|-------------------|------------------|------------------------------------|--------|
| alkyl alcohol ethoxylate | 3.11 - 4.19 | Method not given | High potential for bioaccumulation | |
| sodium alkylethersulphate | No data available | | No bioaccumulation expected | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|---------------------------|-------------------|---------|------------------|------------------------------------|--------|
| alkyl alcohol ethoxylate | < 500 | | Method not given | High potential for bioaccumulation | |
| sodium alkylethersulphate | No data available | | | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|---------------------------|--------------------------------|-------------------------------------|--------|--------------------|--|
| alkyl alcohol ethoxylate | No data available | | | | Potential for mobility in soil, soluble in water |
| sodium alkylethersulphate | No data available | | | | |

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**ADG, IMO/IMDG, ICAO/IATA**

14.1 UN number or ID number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

Other relevant information:

Hazchem code: None allocated

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

National regulations

Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.

Poison schedule

A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

TASKI GLANCE NA J-FILL

| | |
|-----------------------------|---|
| Classification | Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia. |
| Inventory listing(s) | Australian Inventory of Industrial Chemicals: All components are listed on the inventory, or are exempt. |

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS31000934**Version:** 01.1**Revision:** 2023-10-01**Reason for revision:**

1, Not applicable

Additional information:

Respirators: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

Work practices - solvents: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Personal protective equipment guidelines: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - Non GHS hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organisation for Economic Cooperation and Development

End of Safety Data Sheet